

Material Safety Data Sheet

ØTwinbrook Parkway Rockville, MD **Ø**JSA Telephone calls: (**))86 ê**m - **6**m EST Mon. - Fri.

Responsible Party:Roger Williams

USP Reference Standards are sold for chemical test and assay purposes only, and NOT for human consumption. The information contained herein is applicable solely to the chemical substance when used as a USP Reference Standard and does not necessarily relate to any other use of the substance described, (i.e. at different concentrations, in drug dosage forms, or in bulk quantities). USP Reference Standards are intended for use by persons having technical skill and at their own discretion and risk. This information has been developed by USP staff from sources considered reliable but has not been independently verified by the USP. Therefore, the USP Convention cannot guarantee the accuracy of the information in these sources nor should the statements con iEta(t)-9)-tactote NTION !

BENZOCAINE

Catalog Number: 10540	00 Package Size: 500 mg		Revision Date:	October 12, 2000
EMERGENCY OVE	RVIEW - This material is irritating to th	ne skin.		
Common Name:	Benzocaine	Formula: C	9H11NO2	
Synonym:	Ethyl aminobenzoate			
Chemical Name:	Benzoic acid, 4-amino-, ethyl ester			
CAS Number:	94-09-7	RTECS Number:	DG2450000	
Che(ic)-13.426n3 1.	7 y7.686			

SECTION 2 - INGREDIENT INFORMATION

BENZOCAINE				
Catalog Number: 1054000	Package Size: 500 mg	Revision Date:	October 12, 2000	
	low blood pressure; pale skin; slow or irregular heartbeat which may lead to cardiac arrest; blurred vision; confusion; convulsions; dizziness or lightheadedness; drowsiness; feeling hot, cold, or numb; ringing in ears; shivering; anxiety; difficulty in breathing on exertion; headache; and tiredness or weakness.			
Acute:	Eye, skin, gastrointestinal and/or respiratory tract irritation, and possible contact sensitization.			
Chronic:	Possible hypersensitization.			

Medical Conditionsnndit

Pregnancy Comments: Adequate and well-controlled pregnancy studies in humans or animals have not been done.

Pregnancy Category: C (benzocaine gel)

 Oral Rat:
 LD50: 3042 mg/kg

 Oral Mouse:
 LD50: 2500 mg/kg

BENZOCAINE			
Catalog Number: 1054000	Package Size: 500 mg	Revision Date:	October 12, 2000
Extinguisher Media:	Water spray, dry chemical, carbon dioxide or foam as appropriate for surrounding fire and materials.		
Fire and Explosion Hazards:	This material is assumed to be combustible. As with all dry powders it is advisable to ground mechanical equipment in contact with dry material to dissipate the potential buildup of static electricity.		
Firefighting Procedures:	As with all fires, evacuate personnel to a safe area. Firefighters should use self-contained breathing equipment and protective clothing.		
	SECTION 7 - PHYSICAL HAZAR	DS	
Conditions to Avoid:	Avoid moisture.		
Incompatibilities:	Strong oxidizing or reducing agents, acids (especially perchloric and nitric), and bases.		

Decomposition Products: When heated to decomposition material emits highly toxic fumes of NOx. Emits toxic fumes under fire conditions.

Stable? Yes Hazardous Polymerization? No

Spill Response:Wear approved respiratory protection, chemically compatible gloves and protective clothing. Wipe up
spillag T* TD-0.0008 Tc0.0012 \mathfrak{ps} 3u2p2u2p mns.3()12(e2)-5.d9.3(3(-3.7(c2(\mathfrak{fes}-5.35.2i5.(n)5.r)))))