RdH Laborchemikalien GmbH & Co. KG P.O.Box 10 02 62, D-30918 Seelze, Germany Tel: +49-(0)5137-999 0 Fax +49-(0)5137-999 120

MATERIAL SAFETY DATA SHEET SECTION 1. - - - - - - CHEMICAL IDENTIFICATION- - - - - - - -CATALOG #: 15307 CHLORAL HYDRATE, 99.5-101% NAME: SECTION 2. - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -CAS #: 302-17-0 MF: C2H3CL3O2 EC NO: 206-117-5 SYNONYMS AQUACHLORAL * BI 3411 * CHLORALDURAT * DORMAL * 1,1-ETHANEDIOL, 2,2,2-TRICHLORO- (9CI) * FELSULES * HYDRAL * HYDRATE DE CHLORAL * KESSODRATE * LORINAL * NOCTEC * NYCOTON * NYCTON * PHALDRONE * RECTULES * SK-CHLORAL HYDRATE * SOMNI SED * SOMNOS * SONTEC * TOSYL * TRAWOTOX * TRICHLORACETALDEHYD-HYDRAT (GERMAN) * TRICHLOROACETALDEHYDE HYDRATE * TRICHLOROACETALDEHYDE MONOHYDRATE * 1, 1,1-TRICHLORO-2,2-DIHYDROXYETHANE * 1,1,1-TRICHLORO-2,2-ETHANEDIOL * 2,2,2-TRICHLORO-1,1-ETHANEDIOL * SECTION 3. - - - - - - HAZARDS IDENTIFICATION - - -LABEL PRECAUTIONARY STATEMENTS TOXIC TOXIC IF SWALLOWED. IRRITATING TO EYES AND SKIN. TARGET ORGAN(S): NERVES LIVER DO NOT BREATHE FUMES. IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE). AIR AND LIGHT SENSITIVE SECTION 4. - - - - - - - FIRST-AID MEASURES- - - - - - - -IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IMMEDIATELY. IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN. IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN. SECTION 5. - - - - - - - FIRE FIGHTING MEASURES - - - - - - -EXTINGUISHING MEDIA WATER SPRAY. CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM. SPECIAL FIREFIGHTING PROCEDURES WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. UNUSUAL FIRE AND EXPLOSIONS HAZARDS EMITS TOXIC FUMES UNDER FIRE CONDITIONS. SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES- - - - -

```
WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
    RUBBER GLOVES.
    SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL.
    AVOID RAISING DUST.
    VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.
    EVACUATE AREA.
SECTION 7. - - - - - - - - HANDLING AND STORAGE- - - - - - - - - -
    REFER TO SECTION 8.
SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -
    USE ONLY IN A CHEMICAL FUME HOOD.
    SAFETY SHOWER AND EYE BATH.
    WASH CONTAMINATED CLOTHING BEFORE REUSE.
    WASH THOROUGHLY AFTER HANDLING.
    DO NOT BREATHE DUST.
   DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
    AVOID PROLONGED OR REPEATED EXPOSURE.
   NIOSH/MSHA-APPROVED RESPIRATOR.
    COMPATIBLE CHEMICAL-RESISTANT GLOVES.
    CHEMICAL SAFETY GOGGLES.
    STORE IN A COOL DRY PLACE.
    KEEP TIGHTLY CLOSED.
    STORE IN THE DARK.
SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - -
 APPEARANCE AND ODOR
    CRYSTALLINE
    SOLID.
  PHYSICAL PROPERTIES
   BOILING POINT:
                         96 C
   MELTING POINT:
                      58 C
    VAPOR PRESSURE:
                       15 MMHG @ 25 C
    SOLUBILITY:
          WATER -Z26060
                                            VERY SOLUBLE IN
       ETHYL ETHER, AN
                                          FREELY SOLUBLE
    SPECIFIC GRAVITY:
                        1.424
    VAPOR DENSITY:
                      5.1 \text{ G/L}
    PH:
                            3.5 - 4.4
    SWISS POISON CLASS:
                            3
SECTION 10. - - - - - - - - STABILITY AND REACTIVITY - - - -
  STABILITY
    STABLE.
  INCOMPATIBILITIES
    SENSITIVE TO AIR
    SENSITIVE TO LIGHT
    ALKALIS, ALKALINE EARTHS, ALKALI CARBONATES, SOLUBLE BARBITURATES,
    BORAX, TANNIN, IODIDES, OXIDIZING AGENTS, PERMANGANATES AND ALCOHOL.
  HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS
    CARBON MONOXIDE, CARBON DIOXIDE
    HYDROGEN CHLORIDE GAS
  HAZARDOUS POLYMERIZATION
   WILL NOT OCCUR.
SECTION 11. - - - - - - TOXICOLOGICAL INFORMATION - - - - - -
  ACUTE EFFECTS
    CAUSES SKIN IRRITATION.
    MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.
    CAUSES EYE IRRITATION.
    MAY BE HARMFUL IF INHALED.
    MATERIAL MAY BE IRRITATING TO MUCOUS MEMBRANES AND UPPER
    RESPIRATORY TRACT.
    TOXIC IF SWALLOWED.
    SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING,
   WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA AND
    EXPOSURE CAN CAUSE HEADACHE, DROWSINESS, CONFUSION, AMNESIA AND CARDIAC
   ARRHYTHMIAS.
```

```
GASTROINTESTINAL DISTURBANCES
  CNS DEPRESSION
  EXPOSURE TO AND/OR CONSUMPTION OF ALCOHOL
 MAY INCREASE TOXIC EFFECTS.
  PROLONGED OR REPEATED EXPOSURE CAN LEAD TO HABITUATION OR ADDICTION.
  SYMPTOMS MAY BE DELAYED.
CHRONIC EFFECTS
 TARGET ORGAN(S):
 NERVES
 LIVER
 KIDNEYS
  HEART
  THIS PRODUCT IS OR CONTAINS A COMPONENT THAT IS NOT CLASSIFIABLE AS
 TO ITS CARCINOGENICITY BASED ON ITS IARC, ACGIH, NTP OR EPA
 CLASSIFICATION.
 LABORATORY EXPERIMENTS HAVE SHOWN MUTAGENIC EFFECTS.
RTECS #: FM8750000
  CHLORAL HYDRATE
TOXICITY DATA
                                                 PHBTH* 3,132,1967
85DCAI 2,73,1970
  ORL-HMN LDLO:4 MG/KG
  UNR-MAN LDLO:103 MG/KG
  ORL-RAT LD50:479 MG/KG
                                                 TXAPA9 18,185,1971
  SKN-RAT LD50:3030 MG/KG
                                                 85JFAN A065,1984
  IPR-RAT LD50:472 MG/KG
                                                 JAPMA8 41,100,1952
                                                NIIRDN 6,784,1982
  PAR-RAT LD50:710 MG/KG
  UNR-RAT LD50:725 MG/KG
                                                 GISAAA 35(3),14,1970
  REC-RAT LD50:710 MG/KG
                                                 NIIRDN -,1114,1990
  ORL-MUS LD50:1100 MG/KG
                                                 JPETAB 106,444,1952
  IPR-MUS LD50:580 MG/KG
                                                 ARZNAD 10,665,1960
  IVN-MUS LD50:530 MG/KG
                                                 APFRAD 38,65,1980
  UNR-MUS LD50:850 MG/KG
                                                 GISAAA 35(3),14,1970
  UNR-RBT LD50:1400 MG/KG
                                                 GISAAA 35(3),14,1970
 UNR-GPG LD50:940 MG/KG
                                                 GISAAA 35(3),14,1970
TARGET ORGAN DATA
  SENSE ORGANS AND SPECIAL SENSES (MIOSIS)
  SENSE ORGANS AND SPECIAL SENSES (OTHER EYE EFFECTS)
  BEHAVIORAL (GENERAL ANESTHETIC)
  BEHAVIORAL (SLEEP)
  BEHAVIORAL (SOMNOLENCE)
  BEHAVIORAL (HALLUCINATIONS, DISTORTED PERCEPTIONS)
```

BEHAVIORAL (CONVULSIONS OR EFFECT ON SEIZURE THRESHOLD)

```
SECTION 14. - - - - - - - TRANSPORT INFORMATION - - - - - - -
   CONTACT SIGMA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.
SECTION 15. - - - - - - REGULATORY INFORMATION - - - - - - -
 EUROPEAN INFORMATION
   EC INDEX NO: 605-014-00-6
   TOXIC
   R 25
   TOXIC IF SWALLOWED.
   R 36/38
   IRRITATING TO EYES AND SKIN.
   S 23
   DO NOT BREATHE FUMES.
   S 45
   IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
   IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
 REVIEWS, STANDARDS, AND REGULATIONS
   OEL=MAK
```