Valid 11/2002 - 01/2003

Sigma Chemical Co. P.O. Box 14508

```
SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES- - - - - -
    SHUT OFF ALL SOURCES OF IGNITION.
    EVACUATE AREA.
    WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
   RUBBER GLOVES.
    ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR
    USE NONSPARKING TOOLS.
    VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.
SECTION 7. - - - - - - - HANDLING AND STORAGE- - - - - - - -
   REFER TO SECTION 8.
SECTION 8. - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - -
    WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, CHEMICAL-RESISTANT
    GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.
   MECHANICAL EXHAUST REQUIRED.
    SAFETY SHOWER AND EYE BATH.
    DO NOT BREATHE VAPOR.
    DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
    AVOID PROLONGED OR REPEATED EXPOSURE.
    WASH THOROUGHLY AFTER HANDLING.
    KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME.
    STORE IN A COOL DRY PLACE.
SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - -
 APPEARANCE AND ODOR
    LIQUID.
  PHYSICAL PROPERTIES
   FLASHPOINT
                             48F
                            8.88C
   SPECIFIC GRAVITY:
                       0.788
SECTION 10. - - - - - - - - - STABILITY AND REACTIVITY - - - -
  STABILITY
    STABLE.
  INCOMPATIBILITIES
   OXIDIZING AGENTS
   PEROXIDES
   ACIDS
   ACID CHLORIDES
   ACID ANHYDRIDES
    ALKALI METALS
   AMMONTA
   MOISTURE
  HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS
    TOXIC FUMES OF:
    CARBON MONOXIDE, CARBON DIOXIDE
  HAZARDOUS POLYMERIZATION
    WILL NOT OCCUR.
SECTION 11. - - - - - - TOXICOLOGICAL INFORMATION - - - -
  ACUTE EFFECTS
    HARMFUL IF INHALED.
    HARMFUL IF SWALLOWED.
   MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.
    CAUSES SKIN IRRITATION.
    VAPOR OR MIST IS IRRITATING TO THE EYES, MUCOUS MEMBRANES AND UPPER
    RESPIRATORY TRACT.
    CAN CAUSE CNS DEPRESSION.
    EXPOSURE CAN CAUSE:
    GASTROINTESTINAL DISTURBANCES
    NAUSEA, HEADACHE AND VOMITING
    NARCOTIC EFFECT
   MAY CAUSE CONVULSIONS.
   TARGET ORGAN(S):
   EYES
   KIDNEYS
   LIVER
   NERVES
```

PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.
COPYRIGHT 2001 SIGMA-ALDRICH CO.
LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY