MSDS Number: **P0200** * * * * * * Effective Date: **05/22/98** * * * * * Supercedes: **12/08/96**

MSDS

MATERIAL SAFETY DATA SHEET CHEMTREC: 800-424-9300 (USA)

----- 703-527-3887(Outside USA an

Canada)

CANUTEC:

613-996-6666

From: Mallinckrodt Baker, Inc

222 Red School Lane

Phillipsburg, NJ 08865 NOTE: Use CHEMTREC and CANUTEC phone

numbers only in the event

Emergency Telephone Number: 908-859-2151 of a chemical emergency.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

MALLINCKRODT

PARLODION(R)

1. Product Identification

Synonyms: Pyroxylin Purified Strips

CAS No.: 9004-70-0

Molecular Weight: 504.28

Chemical Formula: C12H16(NO3)406

Product Codes: 6552

WARNING! FLAMMABLE SOLID. Potential Health Effects

Inhalation:

No adverse health effects via inhalation. Formation of large quantities of extremely toxic gases, n oxides of nitrogen, hydrogen cyanide and carbon monoxide may occur upon decomposition. Effects from to decomposition products are severe and life threatening.

Ingestion:

Although ingestion is highly unlikely, swallowing may result in mild stomach upset.

Skin Contact:

Not expected to be a health hazard from skin exposure. May cause mild irritation and redness.

Eye Contact:

Although eye contact is highly unlikely, ngesj /Fdnetur uend F / 5nchron quEbe a hel Tf 0 -1.1429

Ingestiot:

Skin Contact:

generation. The resulting flameless decomposition is self-sustaining and accelerative, presenting t hazard of dangerous pressures in building structures. This material contains sufficient oxygen to s burning even in oxygen-deficient atmospheres.

Explosion:

For unstabilized, dry material: An explosion may be initiated by sudden shock, by high temperature combination of the two. Sensitive to mechanical impact. Sensitive to static discharge.

Fire Extinguishing Media:

Water spray, dry chemical, alcohol foam, or carbon dioxide.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing a with full facepiece operated in the pressure demand or other positive pressure mode. Use extreme ca approaching fires. It may explode. Do not fight advanced fires, except for remote activation of ins extinguishing equipment and/or with unmanned fixed turrets and hose nozzles. The surrounding area s evacuated. Fires should be approached from upwind. Use self-contained breathing apparatus. Since ce nitrate supplies its own oxygen, prompt cooling with a large quantity of water is essential; water through spray nozzles is effective if used quickly and in sufficient volume.

6. Accidental Release Measures

Dangerous material. Partially decomposed material may detonate or autoignite. Handle decomposed mat explosive that may detonate with mild shock using explosive disposal procedures. Remove all sources ignition. Ventilate area of leak or spill. Wear appropriate personal protective equipment as specif Section 8. Spills: Clean up spills in a manner that does not disperse dust into the air. Use non-sp tools and equipment. Reduce airborne dust and prevent scattering by moistening with water. Pick up recovery or disposal and place in a closed container.

7. Handling and Storage

Containers should be protected against damage and not exposed to heating. Storage area should be se well ventilated, and equipped with both decomposition and explosion vents, having the maximum amoun opening. Protect against excessive heat and direct sunlight, avoid contact with electric light bulk coils, or other sources of heat; prohibit open flames or other sources of ignition. Control ignitic Employ grounding, bonding, venting and explosion relief provisions in accord with accepted engineer practices in any process capable of generating an explosion due to static discharge. Containers of material may be hazardous when empty since they retain product residues (dust, solids); observe all and precautions listed for the product.

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

In general, dilution ventilation is a satisfactory health hazard control for this substance. Howeve conditions of use create discomfort to the worker, a local exhaust system should be considered. Use explosion-proof equipment.

Personal Respirators (NIOSH Approved):

Not expected to require personal respirator usage.

Skin Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

9. Physical and Chemical Properties

Appearance:

Thin, transparent, colorless to pale yellow strips.

Odor:

No information found.

by sudden shock, by high temperature or by a combination of the two. Heat and sunlight can contribu instability.

Hazardous Decomposition Products:

Emits toxic fumes of hydrogen cyanide, nitric oxides, and carbon monoxide when heated to decomposit Incomplete combustion may generate toxic hydrogen cyanide fumes.

Hazardous Polymerization:

Will not occur.

Incompatibilities:

Strong oxidizers.

Conditions to Avoid:

Heat, flame, sources of ignition, light and incompatibles.

11. Toxicological Information

Oral rat LD50: 5gm/kg			
\Cancer Lists\			
	NTP Carcinogen		
Ingredient	Known	Anticipated	IARC Category
Nitrocellulose (9004-70-0)	No	No	None
Urea (57-13-6)	No	No	None

12. Ecological Information

Environmental Fate:

No information found.

Environmental Toxicity:

No information found.

13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to approved waste facility. Processing, use or contamination of this product may change the waste mana

options. State and local disposal regulations may differ from federal disposal regulations. Dispose container and unused contents in accordance with federal, state and local requirements.

14. Transport Information

Domestic (Land, D.O.T.)				
Proper Shipping Name: FLAMMABLE SOLID, ORGANI Hazard Class: 4.1 UN/NA: UN1325 Packing Group: II	C, N.O.	S. (N	IITROCEL	LULOSE)
<pre>Information reported for product/size: 500G International (Water, I.M.O.)</pre>				
Proper Shipping Name: FLAMMABLE SOLID, ORGANI Hazard Class: 4.1 UN/NA: UN1325 Packing Group: II Information reported for product/size: 500G				
\Chemical Inventory Status - Part 1\				
Ingredient	TSCA	EC	Japan	Australia
Nitrocellulose (9004-70-0)	Yes	No	Yes	Yes
Urea (57-13-6)	Yes	Yes	Yes	Yes
\Chemical Inventory Status - Part 2\				
	Canada			
Ingredient	Korea	DSL	NDSL	Phil.
Nitrocellulose (9004-70-0)	Yes	Yes	No	Yes

Urea (57-13-6) Yes Yes No Yes -----\Federal, State & International Regulations - Part 1\-------SARA 302- ----SARA 313-----Ingredient TPQ List Chemical Catg. RQ Nitrocellulose (9004-70-0) No No No No Urea (57-13-6) NoNoNoNo -----\Federal, State & International Regulations - Part 2\------RCRA--TSCA-Ingredient CERCLA 261.33 8(d) Nitrocellulose (9004-70-0) No No No Urea (57-13-6) No No No Chemical Weapons Convention: No TSCA 12(b): No CDTA: No SARA 311/312: Acute: No Chronic: No Fire: Yes Pressure: No

Australian Hazchem Code: 2[Y]

Poison Schedule: No information found.

Reactivity: Yes (Mixture / Solid)

WHMIS: